

WAND RDC Data Sheet

WAND Remote Data Collector



The WAND Remote Data Collector (RDC) is an intrinsically safe, battery powered device designed to be used with up to 8 WAND TM Sensors.



The RDC is configured using the Inductosense Data Analysis and Reporting Toolkit (iDART) software. Using iDART, the RDC can be prompted to retrieve live thickness readings, and also programmed to schedule automatic data collection at predefined intervals.

The RDC collects and logs thickness measurements, which can then be retrieved wirelessly by Bluetooth 5.0 at a range of up to 200m, making it ideal for difficult access locations. The data can then be transferred to the iDART cloud with access to the internet.

Technical Specifications

| Product Code | WAND-RDC V2 |
|---------------------------|--|
| Dimensions | 19cm (L) x 13cm (W) x 9cm (H) |
| | 7.5 inches (L) x 5.1 inches (W) x 3.4 inches (H) |
| Weight | 1.15kg |
| Dimensions (reader coil) | 7.5mm / 3 inches OD, 0.3cm / 0.12 inches thick |
| Reader coil cable length | 2m / 6.6ft |
| Wireless communication | Bluetooth 5.0 |
| Wireless range | 200mm / 656ft (line of sight) |
| Port configuration | 8 x WAND sensor ports; 1 x thermocouple; 1 USB |
| Device storage | 1500 readings (at one time) |
| Battery life | 5 year minimum (based on 8 readings per day at 20°C) |
| Operating temperature | Min: -20°C / Max: 70°C Min: -4°F / Max: 158°F |
| Environmental temperature | Min: -40°C / Max: 70°C Min: -40°F / Max: 158°F |





| IP rating | IP66 |
|-----------------------|--|
| Certifications | V2: Ex ia IIC T4 Ga (Ta = -40°C to +70°C) |
| Data retrieval method | Via Bluetooth 5.0 USB dongle |
| Resolution | B5R with velocity 5915 m/s: 11.8 µm S5R with velocity 3220 m/s: 6.44 µm |
| Repeatability | B5R with velocity 5915 m/s: ±5.52 μm** S5R with velocity 3220 m/s: ±5.52μm/5915*3220= ±3.00μm |

^{**}The test was carried out at a fixed reading distance.

Resolution: defined as 1 / sampling frequency in software × speed of sound / 2 Repeatability: defined as the standard deviation of repeated thickness measurements at a location experiencing no metal loss and at constant temperature over the measurements.

Reading distance: defined as distance between the reader coil and sensor.

